





A RELIABLE AND EFFECTIVE HEATING SYSTEM FOR PROFESSIONAL PEST CONTROL.

Bed bugs and pests are a growing problem worldwide. The more we travel, the greater the risk of these insects spreading. There are a number of different pest control systems on the market, but Corroventa's professional heating system tackles the problem quickly, easily and without the need for chemicals.

USER-FRIENDLY AND DISCREET

The system is supplied complete with a H4 ES heater, with remote control through SuperVision®, sensors and an insulating tent with accompanying floor insulation and tent frame.

The system has few components and is therefore simple to both set up and use. The insulating tent and its case have been designed to ensure maximum discretion, with hotel guests and neighbours in mind.

The H4 ES heater features a clear display with a user-friendly interface. The required temperature and operating time can easily be set during the installation process, after which SuperVision® sends information by

e-mail once the correct temperature has been reached or the allotted time has elapsed.

RAPID PEST CONTROL WITHOUT CHEMICALS

Pest control using heat is an effective method that does not require the use of chemicals that can be harmful to health.

The powerful heater with its boost function and the heavily insulated tent mean the system quickly reaches the required temperature. The heater also features an after-cooler that steadily reduces the temperature once the job is done, which helps to protect furniture.



INSULATING TENT. The tent, which can easily hold all the furniture from a hotel room, can be set up quickly in the affected building. The excellent insulation means the process is quick, with minimal risk of the problem spreading to other rooms.

ES - A WORLD-LEADING PRODUCT FAMILY OFFERING UNIOUE BENEFITS.

ES is our most intelligent, flexible, compact and energy-efficient product line. It is also more powerful than any other previous product range. ES stands for Energy Saving, and energy efficiency has been our primary objective throughout the product development process. Not just in terms of operation, but every aspect, from logistics to user interaction.

► As a member of the ES family, H4 ES is supplied with integrated operating modes and can be remote-controlled using SuperVision®.



WIND THE CORD AROUND THE HANDLE

and secure it against the metal casing using the magnet to prevent it getting in the way as you carry the machine. **EASY TO GRIP HANDLE.** Our machines have a slim design that enables them to be held close to the body, thus reducing strain on the back.

ROUNDED, SOFT CORNERS of polyurethane rubber (PUR) that do not rub against your clothes or body as you carry the machine.

HEATER WITH DOUBLE BOOST FUNCTION. Powerful fan and double heaters connect to different outlets for more rapid heating and a shorter operating time

FIREPROOF. The machine has a PTC heater that never exceeds 240°C, thereby eliminating the risk of igniting dust, for example.

LIGHTWEIGHT. The machine is lightweight and can be carried together with the tent and the frame.

THE FEET are made from PUR and leave no drag marks on the floor.



UNIQUE BENEFITS FOR OPTIMAL RESULTS



ES – AN ENERGY-EFFICIENT PRODUCT FAMILY

Thanks to the smart control system with integrated operating modes, as well as energy-efficient components, the ES machines consume less energy than traditional machines. They are energy optimised for both large and small jobs.



LOW NOISE LEVEL.

H4 ES can operate silently. This is a huge advantage when the machines need to be used in a hotel, for example. **CLEAR CONTROL PANEL** for setting the required temperature (49–56°C) and operating time (0–24 hours).



QUICK & EFFECTIVE PEST CONTROL WITHOUT THE NEED FOR CHEMICALS.

Our heat-based method of pest control is not only reliable and effective in terms of achieving the required result, but the entire system has also been designed to minimise energy consumption, while automation and remote-controlled features make it easier than ever to use.

INTEGRATED OPERATING MODES

The required temperature (49–56°C) and operating time (0–24 hours) can be set using the machine's user-friendly display. Once the set temperature has been achieved and the operating time has elapsed, the process can be terminated manually or automatically.

REMOTE CONTROL

With SuperVision® the process can be controlled, monitored and checked remotely using a computer, mobile phone or tablet. This enables considerably more assignments to be carried out simultaneously, while reducing the amount of travel engineers are required to do to monitor the process on site. SuperVision® provides total process control.

TEMPERATURE SENSORS

The four accompanying sensors are embedded into the thickest material possible inside the tent. The machine's display shows the status of the sensor recording the lowest temperature. The process begins once all four sensors indicate the preset temperature, and after 0–24 hours the process is complete.

MADE IN SWEDEN

To ensure the highest quality possible, we develop and manufacture our machines locally, at our factory in Bankeryd. Here the machines are inspected and quality assured at every stage of the production process. This guarantees the high standard that is characteristic of Corroventa's products.



RAPID PEST CONTROL

Pest control using the H4 ES is more effective and quicker than with other pest control systems. The well-insulated tent enables the set temperature to be achieved more quickly and more energy efficiently. Pest control is quicker with heating systems than with traditional cooling systems.



FREE FROM CHEMICALS

The heating system tackles pests without the need for chemicals and is therefore the ideal solution in terms of health and the environment.



AFTER-COOLING

Once the process is complete, the fan continues to run for an additional hour in order to steadily reduce the temperature. This helps to protect furniture from the effects of a sudden change in temperature.



WELL-INSULATED AND EASY-TO-HANDLE PEST CONTROL TENT FOR QUICK AND ENERGY-EFFICIENT JOBS.

The tent, which can easily hold all the furniture from a hotel room, can be set up quickly in the affected building. The excellent insulation means the process is quick, with minimal risk of the problem spreading to other rooms.

FOLDING FRAME

The tent frame, which is very sturdy and easy to erect, has two height settings to accommodate various ceiling heights. It is very easy to handle and weighs just 12 kg.


INSULATING TENT AND CASE

The tent is made from a high-quality insulating material. This makes the pest


control process quick, costeffective and energy efficient. The base of the tent is made of a particularly durable material, ensuring a long service life.


The tent weighs just 17 kg and is supplied in a discreet case that can be carried in the hand or as a rucksack.


6 www.corroventa.com





ERECTING THE TENT
















Finally secure the velcro straps at the bottom of the tent around the frame legs.



NO RISK OF THE PROBLEM SPREADING TO OTHER ROOMS

The use of a tent means the process is carried out in a closed area, which prevents pests spreading to other parts of the building.



USER-FRIENDLY AND DISCREET

The insulating tent and its case have been designed to ensure maximum discretion, with hotel guests and neighbours in mind. The system comprises few components and can be installed by a single person.



SAFE HANDLING OF PROPERTY

The system is installed inside the affected building, with furniture and objects being put inside the tent for treatment. Property and valuables therefore never need to leave the building.


TECHNICAL	DATA H4 ES

Process air	950 m³/h
Power consumption, primary heater	r 2,100 W
Power consumption, secondary hea	ter 2,200 W
Noise level (3 m high speed)	55 dB(A)*
Connection	4,300 W
Weight	22 kg
Size (L x W x H)	497 x 320 x 533 mm
*Depending on the installation	

SYSTEM DETAILS

Weight, incl. case	17 kg
Size (L x W x H)	2 400 x 2 400 x 2 200 mm
Folding frame	
Weight	12 kg
Size (L x W x H)	2 500 x 2 500 x 2 200 mm
H4 ES	
Floor insulation	
Temperature sensors, qty. 4	
SuperVision®	
Article number	1003543

www.corroventa.com 7



DO YOU HAVE ANY QUESTIONS OR DO YOU NEED OUR SUPPORT?

Please visit www.corroventa.com or call us to speak to an expert. We have the knowledge and the equipment to find a solution as efficiently as possible.

Corroventa develops, manufactures, sells and hires out high quality products for dealing with water damage, moisture, odours and radon. We are one of the market leaders and specialise in innovation within the industry. Our products are compact, effective, ergonomic and energy efficient. In emergency situations and during flooding, Corroventa's customers have access to one of the largest rental parks in Europe. We have sales offices and machine depots in several locations throughout Europe. All our manufacturing takes place in Bankeryd, Sweden.



